

# MATERIAL SAFETY DATA SHEET

**CLEAN UP INC.**  
**1829 SE Haig**  
**Portland, Or. 97242**  
**Telephone: (503) 231-7980**  
**For 24 Hr. Emergencies Call: Infotrac (800) 535-5053**

## SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name:</b>	<b>Grease Away</b>	<b>HMIS RATING</b>
<b>Product Description:</b>	<b>Water Base Soap Compound</b>	<b>Health: 1</b>
<b>Product Code:</b>	<b>None</b>	<b>Fire: 0</b>
<b>Date Prepared:</b>	<b>October 31, 2001</b>	<b>Reactivity: 0</b>
		<b>PPE: A</b>

## SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<b>INGREDIENT</b>	<b>CAS#</b>	<b>%</b>	<b>SARA TITLE III</b>	<b>PEL</b>	<b>TLV</b>
2-Butoxy Ethanol	111-76-2	1-5	YES		50 ppm (skin)

This product contains additional water-base detergent materials not listed by the ACGIH as hazardous.

Components listed as a suspected carcinogen: None

## SECTION 3. HAZARDS IDENTIFICATION

Health Hazards (Acute and Chronic):

Effects of Overexposure: TLV not established for product. Suggested

Primary Routes of Entry: Ingestion, Inhalation, Potential Skin Absorption and Eye Contact.

ACUTE:

EYE CONTACT: May cause severe irritation with potential reversible corneal injury.

SKIN: May cause irritation. May be absorbed through skin.

INHALATION: Inhalation mists or vapors may cause irritation to respiratory system.

INGESTION: May cause nausea, vomiting, and/or diarrhea.

CHRONIC:

Prolonged or repeated contact may result in defatting of skin with potential dermatitis. Persons with pre-existing skin disorders may be more susceptible to the effects of the contact.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None reported.

## Clean Up Inc. Grease Away

### SECTION 4. FIRST AID MEASURES

Emergency and First Aid Procedures.

- IF IN EYES:** Immediately flush with large quantities of clean water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get medical attention if irritation persists.
- IF ON SKIN:** Rinse exposed area with clean water for at least 15 minutes. Remove contaminated clothing. Launder contaminated clothing before reuse. Get medical attention if irritation persists.
- IF SWALLOWED:** **INDUCE VOMITING.** Drink two glasses of water or milk. Never give anything orally to an unconscious or convulsing person. Get prompt medical attention.
- IF BREATHED:** Remove person to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration. Get prompt medical attention.

### SECTION 5. FIRE FIGHTING MEASURES

- FLASH POINT (PMCC):** Not Flammable
- FLAMMABLE LIMITS IN AIR:** Not Determined.
- EXTINGUISHING MEDIA:** Dry Chemical, carbon dioxide, foam, or water fog. Class BC or ABC fire extinguisher.
- SPECIAL FIRE FIGHTING PROCEDURES:** Self-contained positive pressure breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.
- UNUSUAL FIRE AND EXPLOSION HAZARDS:** None known.
- HAZARDOUS DECOMPOSITION PRODUCTS:** CO and/or CO.

### SECTION 6. SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Use required personal protective equipment when entering spill area. Avoid entering spill area, spilled material may be extremely slippery.

- SMALL SPILL:** Release of small amounts to sanitary sewer is inherent with normal end use. Use appropriate absorbent material to absorb residual material and transfer absorbed material to containers for disposal.
- LARGE SPILL:** Stop spill at source using dam, dike or divert techniques to prevent spill from spreading. Salvage any free product for reuse, if possible. Use absorbent to absorb any residual material. Transfer into container for disposal in Class D landfill pending approval. Follow up with water flush.

### SECTION 7. HANDLING AND STORAGE

Preferred storage is between 60 and 100 deg. F. Keep Container closed when not in use. Never use pressure to empty. Use with adequate ventilation. Prevent from freezing. If container is to be returned or recycled, make sure container is drip dry. Containers of this material may be hazardous when emptied. Since emptied containers retain product residues, ( vapor, liquid, and/or solids) all precautions given in this data sheet should be observed.

## Clean Up Inc. Grease Away

### SECTION 8. EXPOSURE CONTROLS, PERSONAL PROTECTION EQUIPMENT

Occupational Exposure Limits:

	ACGIH TLV	TLV(C)	STEL	OSHA STEL	PEL
2-Butoxy Ethanol	50 ppm (skin)				

RESPIRATORY PROTECTION: None normally required under normal use. If TLV of product or any component is exceeded, used an approved NIOS/MSHA respirator. Good Hygiene controls should be implemented to control exposures.

VENTILATION Provide sufficient general and/or local exhaust to maintain exposure below the TLV(s).

PROTECTIVE GLOVES: Use Neoprene or Buna-N rubber gloves.

EYE PROTECTION: Chemical splash goggles recommended.

OTHER PROTECTIVE EQUIPMENT: None normally needed.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: Approx. 210 deg. F.

Vapor Pressure: Not Available

Vapor Density: Not Available

Specific Gravity: 1.03

Percent Volatiles: Not Available

Evaporation Rate: Not determined for product

Appearance and odor: Purple, Slightly Hazy Liquid, Slight Glycol Ether Odor

pH: 12.0-12.5

Solubility: 100% in water.

### SECTION 10. STABILITY AND REACTIVITY

STABILITY: Product is stable

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITY: None Known

CONDITIONS TO AVOID: None Known

### SECTION 11. TOXICOLOGICAL INFORMATION

Substance	Specie	LD50
-----------	--------	------

No Data Available product or ingredients.

CARCINOGENICITY: The NTP, IARC, or OSHA does not consider this product or its components carcinogenic.

### SECTION 12. ECOLOGICAL INFORMATION

None Available For Product

## Clean Up Inc. Grease Away

### SECTION 13. DISPOSAL CONSIDERATIONS

EPA HAZARDOUS WASTE CODE: NONE

Product must be disposed of properly under Federal and State regulations for industrial wastes. Recommended disposal is incineration or Disposal in a Class D landfill of absorbed wastes pending approval. As delivered, this product when spilled, released or disposed of, is a non-hazardous waste as defined in RCRA regulations 40 CFR Part 261.

### SECTION 14. TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Grease Away  
DOT HAZARD CLASS: None  
DOT IDENTIFICATION NO. None  
DOT PACKING GROUP: None  
DOT RQ FOR PRODUCT: NA  
DOT MARINE POLLUTANT: NA  
EMERGENCY RESPONSE GUIDE NUMBER: None

### CANADIAN TDG/WHMIS REGULATIONS:

TDG NAME: Grease Away  
TDG CLASS: None  
PIN NUMBER: None  
WHMIS: D 2 B

### SECTION 15. REGULATORY INFORMATION

TSCA: The ingredients of this product are on the TSCA inventory.

#### SARA TITLE III HAZARD CATEGORIES

SECTION 311: ACUTE: YES CHRONIC: NO  
SECTION 313: 2-Butoxy Ethanol 1-5%  
FIRE HAZARD: NO  
REACTIVE HAZARD: NO  
SUDDEN RELEASE OF PRESSURE: NO

PROPOSITION 65: NONE

#### STATES RIGHT TO KNOW

MASSACHUSETTS: NONE  
PENNSYLVANIA: NONE

CALIFORNIA SCAQMD: NONE

EEC Classification: Irritant

This product, as delivered, is not regulated as a hazardous substance.

### SECTION 16. OTHER INFORMATION

**PLEASE NOTE!** Use only as directed. Do not mix with other chemicals unless advised by supplier.