

MATERIAL SAFETY DATA SHEET

CLEAN UP INC.
1829 SE Haig
Portland, Or. 97242
Telephone: (503) 231-7908
For 24 Hr. Emergencies Call: Infotrac (800) 535-5053

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	SOLVENT FREE-123	HMIS RATING
Product Description:	Heavy Duty Water-base Cleaner	Health: 0
Product Code:	621	Fire: 0
Date Prepared:	October 31, 2001	Reactivity: 0
		PPE: A

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS#	%	SARA TITLE III	PEL	TLV
Ethylenediamine-	10378-23-1	7-10	NA	NA	NA
Tetra acetic Acid-					
Tetra -sodium salt					
TetraPotassium	7320-34-5	3-5	NA	NA	NA
PyroPhosphate					

Components listed as a suspected carcinogen: None

SECTION 3. HAZARDS IDENTIFICATION

Health Hazards (Acute and Chronic):

Effects of Overexposure: TLV not established for product. Suggested

Primary Routes of Entry: Ingestion, Inhalation, Skin and Eye Contact.

ACUTE:

EYE CONTACT: May cause irritation with possible reversible transient corneal damage.

SKIN: May cause irritation and redness of skin.

INHALATION: Inhalation mists or vapors may cause irritation to respiratory system.

INGESTION: May cause nausea, vomiting, and/or diarrhea.

CHRONIC:

Prolonged or repeated contact may result in defatting of skin with potential dermatitis. Persons with pre-existing skin disorders may be more susceptible to the effects of the contact.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None reported.

SECTION 4. FIRST AID MEASURES

Emergency and First Aid Procedures.

- IF IN EYES:** Immediately flush with large quantities of clean water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get medical attention if irritation persists.
- IF ON SKIN:** Rinse exposed area with clean water for at least 15 minutes. Remove contaminated clothing. Launder contaminated clothing before reuse. Get medical attention if irritation persists.
- IF SWALLOWED:** **DO NOT INDUCE VOMITING.** Drink two glasses of water or milk. Never give anything orally to an unconscious or convulsing person. Get prompt medical attention.
- IF BREATHED:** Remove person to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration. Get prompt medical attention.

SECTION 5. FIRE FIGHTING MEASURES

- FLASH POINT (COC):** APPROX. 200 F
- FLAMMABLE LIMITS IN AIR:** Not Determined.
- EXTINGUISHING MEDIA:** Dry Chemical, carbon dioxide, foam, or water fog. Class BC or ABC fire extinguisher.
- SPECIAL FIRE FIGHTING PROCEDURES:** Self-contained positive pressure breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.
- UNUSUAL FIRE AND EXPLOSION HAZARDS:** None known.
- HAZARDOUS DECOMPOSITION PRODUCTS:** CO and/or CO₂.

SECTION 6. SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Use required personal protective equipment when entering spill area. Avoid entering spill area, spilled material may be extremely slippery.

- SMALL SPILL:** Release of small amounts to sanitary sewer is inherent with normal end use. Use appropriate absorbent material to absorb residual material and transfer absorbed material to containers for disposal.
- LARGE SPILL:** Stop spill at source using dam, dike or divert techniques to prevent spill from spreading. Salvage any free product for reuse, if possible. Use absorbent to absorb any residual material. Transfer into container for disposal in Class D landfill pending approval. Follow up with water flush.

SECTION 7. HANDLING AND STORAGE

Preferred storage is between 60 and 100 deg. F. Keep Container closed when not in use. Never use pressure to empty. Use with adequate ventilation. Prevent from freezing. If container is to be returned or recycled, make sure container is drip dry. Containers of this material may be hazardous when emptied. Since emptied containers retain product residues, (vapor, liquid, and/or solids) all precautions given in this data sheet should be observed.

SECTION 8. EXPOSURE CONTROLS, PERSONAL PROTECTION EQUIPMENT

Occupational Exposure Limits:

ACGIH TLV TLV(C) STEL OSHA STEL PEL
Recommended TLV for product is 10 mg/m³ as a nuisance mist or spray.

RESPIRATORY PROTECTION: None normally required under normal use. If TLV of product or any component is exceeded, used an approved NIOSH/MSHA respirator. Good Hygiene controls should be implemented to control exposures.

VENTILATION Provide sufficient general and/or local exhaust to maintain exposure below the TLV(s).

PROTECTIVE GLOVES: Use of Rubber or Latex gloves is recommended.

EYE PROTECTION: Use of Safety Glasses is recommended.

OTHER PROTECTIVE EQUIPMENT: None normally needed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: Approx. 210 deg. F.
Vapor Pressure: Not Available
Vapor Density: Not Available
Specific Gravity: APPROX. 1
Percent Volatiles: Not Available
Evaporation Rate: Not determined for product
Appearance and odor: Colorless Liquid, Amine-like Odor
pH: 11-11.5
Solubility: Soluble in water.

SECTION 10. STABILITY AND REACTIVITY

STABILITY: Product is stable
HAZARDOUS POLYMERIZATION: Will not occur.
INCOMPATIBILITY: Oxidizers and Strong Acids
CONDITIONS TO AVOID: Strong Acids and Oxidizers

SECTION 11. TOXICOLOGICAL INFORMATION

Substance Specie LD50
No Data Available product or ingredients.

CARCINOGENICITY: The NTP, IARC, or OSHA does not consider this product or its components carcinogenic.

SECTION 12. ECOLOGICAL INFORMATION

None Available For Product

Clean Up Inc. SOLVENT FREE-123

SECTION 13. DISPOSAL CONSIDERATIONS

EPA HAZARDOUS WASTE CODE: NONE

Product must be disposed of properly under Federal and State regulations for industrial wastes. Recommended disposal is incineration or Disposal in a Class D landfill of absorbed wastes pending approval. As delivered, this product when spilled, released or disposed of, is a non-hazardous waste as defined in RCRA regulations 40 CFR Part 261.

SECTION 14. TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Solvent Free-123
DOT HAZARD CLASS: None
DOT IDENTIFICATION NO. None
DOT PACKING GROUP: None
DOT RQ FOR PRODUCT: NA
DOT MARINE POLLUTANT: NA
EMERGENCY RESPONSE GUIDE NUMBER: None

CANADIAN TDG/WHMIS REGULATIONS:

TDG NAME: Solvent Free-123
TDG CLASS: None
PIN NUMBER: None
WHMIS: D 2 B

SECTION 15. REGULATORY INFORMATION

TSCA: The ingredients of this product are on the TSCA inventory.

SARA TITLE III HAZARD CATEGORIES

SECTION 311: ACUTE: YES CHRONIC: NO
SECTION 313: NONE
FIRE HAZARD: NO
REACTIVE HAZARD: NO
SUDDEN RELEASE OF PRESSURE: NO

PROPOSITION 65: NONE

STATES RIGHT TO KNOW

MASSACHUSETTS: NONE
PENNSYLVANIA: NONE

CALIFORNIA SCAQMD: NONE

EEC Classification: Irritant

This product, as delivered, is not regulated as a hazardous substance.

SECTION 16. OTHER INFORMATION

PLEASE NOTE! Use only as directed. Do not mix with other chemicals unless advised by supplier.